



單位 mm

(d)		M 2	M 2.5	M 3	M 4	M 5	M 6	M 8	
e	min.	4.32	5.45	6.01	7.66	8.79	11.05	14.38	
k	nom.	1.4	1.7	2	2.8	3.5	4	5.3	
	Product grade A	min.	1.275	1.575	1.875	2.675	3.35	3.85	5.15
		max.	1.525	1.825	2.125	2.925	3.62	4.15	5.45
	s	Nom.	4	5	5.5	7	8	10	13
Product grade A/B min.		3.82	4.82	5.32	6.78	7.78	9.78	12.73	
彈簧華司	D1 (最大)	4.8	5.5	6.2	7	8.5	11.5	14.5	
	B' (最大) × T1 (最小)	1 × 0.6	1.1 × 0.7	1.2 × 0.8	1.4 × 1	1.7 × 1.3	2.7 × 1.5	3.2 × 2	
	壓縮試驗 (最小)	1	1.2	1.35	1.7	2.2	2.5	3.35	

附註：

1. 參考 DIN 933
2. 彈簧華司參考 JIS B1251
3. 平華司請參閱 DIN 6902 及 DIN 6903